

## APCO's OEM paragliding hardware pricelist 2008





















Photo 1	CODE	Description	Photo 2
	43135	Wonder bar – Hands free two stage speed bar	
	43126	#6 Delta Maillon Stainless Steel – Diameter 6mm	
	34014	#4 Delta Maillon Stainless Steel – Diameter 4mm	
	34014p	Plastic insert for #4 Delta Maillon (34014) – Line-webbing keeper	
	34015	#4 Oval Maillon Stainless Steel for speed systems etc. – Diameter 4mm	
	43122	#6 Oval Maillon Stainless Steel – Diameter 6mm	
	43123S	#8 Oval Maillon Steel for connecting reserve bridles + Power Wings - Diameter 8mm	
	43107A	Forged aluminum speed system pulley with brass sheave	
	34014R	O-ring for keeping lines in place on Maillons or D-shackles	
	34011	Aluminum 7075T6 chain link [Brummel Hooks] – captive hooks for quick connection of speed system lines to risers [price per piece]	
	DCBZ-I1	Kamet cam buckle for 25mm webbing -light duty 250 Kg.	
	DCBZ-I1H	Kamet cam buckle for 25mm webbing -Heavy duty 450 Kg.	

Photo 1	CODE	Description	Photo 2
	34019G	Forged 7075 Aluminum gate lock paragliding karabiner 1800Kg MBL <sup>1</sup>	
	34019GS	Stainless steel gate lock paragliding karabiner 2600Kg MBL <sup>2</sup>	
	34019Q	Quick lock buckle set for 40-45mm webbing (set = male/female/slider)	
	34019S	Stainless steel slider for quick lock buckle for 40-45mm webbing	
	34019M	Stainless steel male part for quick lock buckle for 40-45mm webbing	
	34019BD	Forged Aluminum body (female part) for quick lock buckle	
	3401MT	Stainless steel T-lock male part for quick lock buckle	
	34019MS	Stainless steel single slot male part for quick lock buckle	
	34019MD	Stainless steel double slot male part for quick lock buckle	
	SSL-03/28	Stainless steel male part for quick lock buckle for 25-28mm webbing	
	SL-03/25	Stainless steel loop for 25-28mm webbing	

<sup>1</sup>MBL = Minimum Break Load
















Photo 1	CODE	Description	Photo 2
	SS-03/28	Stainless steel slider for 25-28mm webbing (for QLB)	
	ASL-03/28	Aluminum 7075T6 Black Anodized male part for QLB 25-28mm webbing	
	AL-03/28	Aluminum 7075T6 Black Anodized loop for QLB 25-28mm webbing	
	AS-03/28	Aluminum 7075T6 Anodized slider for QLB and light QLB 25-28mm webbing Black, Grey or Red	
	34010	Curved safety pin for reserve parachute Stainless steel	
	SSB-03I16	Stainless Steel end fitting for 40-45mm webbing	
	AUB03/26	Aluminum U-bracket Black Anodized. Standard height for 25mm tubing 7075 T6	
	SUB02/26	Stainless Steel U-bracket black anodized. Standard height for 25mm tubing	
	SUB02/2639	Stainless Steel U-bracket black anodized. Standard height for 25mm tubing – <i>High shoulder</i>	
	S4900-04-025/12	Rectangular loop wire welded Stainless Steel 304 for 25mm webbing	
	W900/3181F	Steel buckle loop (part of loop and slide) for 40-50mm webbing	
	W900/3181M	Steel buckle slider (part of loop and slide) for 40-50mm webbing	

Photo 1	CODE	Description	Photo 2
	S3181D-025	Stainless Steel slider bright polished for 25mm webbing – Light Duty	
	S317-03015	3x15 round ring stainless steel welded	
	S317-03020	3x20 round ring stainless steel welded	
	S317-04025	4x25 round ring stainless steel welded	
	S3250-03025	3x25 D-ring stainless steel welded	
	S3250-04025	4x25 D-ring stainless steel welded	
	A4903	Light QLB body (female part) Grey or Red	
	A4903-I	Aluminium 7075T6 male part for light QLB	
	AT4904	Aluminium 7075T6 T-lock male part for light QLB	
	1234	Swivel for brake handle #8	
	1238	Neodymium Magnet 20x10x3 for brake handle and riser	